




Features

- Intel® 6th and 8th gen. CORE i5 & i7
- 2*DDR4 SODIMM RAM slot, support 2133MHz memory, up to 32GB
- Dual independent display, 1*HDMI, 1*VGA
- 3* WGI211AT Gigabit Ethernet, support Wake On LAN, PXE • 6* RS232/RS485 COM port (defaulted RS232)
- 7*USB port, 1* SIM slot
- Support wide voltage 9~36V input output
- Fanless cooling structure, full aluminum case

.	Technical	
Case	Material/Structure	Full aluminum case, fanless cooling
	Color	Bright black
	Dimension	174mm*148mm*57mm
	Net Weight	1.65KG
	Installation	Desktop/Embedded
Mainboard	CPU	Integrated Intel® CPU Celeron J1900- core i5 or i7
	Chipset	Intel®Skylake-U SOC
	Display	Integrated Intel® Iris™ Graphics 540, support DirectX 12 OpenGL 4.4, support 4K
	Memory	2*DDR4 SODIMM RAM slot, support 2133MHz memory, up to 32GB
Front Panel I/O	POWER	1*Power switch , 1* Reset switch
	AC LOSS	1*AC LOSS (Auto power on switch)
	USB	3* USB2.0 port
	Phoenix Connector	1*12pin, support 4-in 4-out GPIO, switch, 5V
	PS2	1* PS/2 KB/MS port
	SIM	1* SIM slot
Rear Panel I/O	Display port	1*VGA port, 1*HDMI port
	LAN	3*Intel® WGI211AT Gigabit Ethernet, support Wake On LAN, PXE
	USB	4* USB3.0 port
	COM	6* RS232/RS485 COM port (defaulted RS232)
	Audio	1* Line out, 1* MIC
	Power Supply	1* DC power adaptor port, 1* 3pin power connector, support 9~36V power input output
Storage	SATA	1*2.5" HDD expansion
	mSATA	1* MSATA SSD expansion, transmission rate up to 6Gbps
Expansion	Mini PCIE	1* Mini PCIE slot, support WiFi/4G module
	M.2	1* M.2 slot, support M.2 2260/2280 NVME PCIE standard SSD
Support OS	Microsoft Windows	Windows 7/10 , 64bit (not include Windows OS)
	Linux	Ubuntu
	Watch Dog	Support hardware reset function (L256, 0~255 seconds)
Power Supply	Power Type	External power adaptor or open power supply
	Voltage Input	9V~36V wide voltage
	Power Output	36W~180W
Environment	Working Temp.	-10°C ~ 60°C
	Storage Temp.	-20°C ~ 70°C
	Relative Humidity	5%-95% relative humidity, non-condensing
	Vibration	0.5g rms/5-500HZ/random/operating

EAGLE-C57Z

Dimension Drawing



Front Panel I/O



Rear Panel I/O



EAGLE-C57Z

ORDER INFORMATION	
code	description
EAGLE-C57Zj1900	embedded computer with CELERON j1900 2.0GHz quad core processor. TDP 15W - 128 gbyte SSD – 8 Gbyte RAM – windows 10 IoT
EAGLE-C57Z6360U	embedded computer with I5 6360U/2.0GHz dual core processor. TDP 15W - 128 gbyte SSD – 8 Gbyte RAM – windows 10 IoT
EAGLE-C57Z8565U	embedded computer with I7 8565U/1,8 Ghz. quad core processor. TDP 15W - 128 gbyte SSD – 8 Gbyte RAM – windows 10 IoT
optional on request	wi-fi / SSD-RAM on request / no operative system



www.erre1.it

www.syby.it

www.eagle-eye.it



ErreUno S.r.l.

Via Novella ,13
43058 Sorbolo (PR) Italy
Tel : +39 / 0521 694164
Fax: +39 0521-1851863
email: info@erre1.it
P.I / CF : 02379290345
REV. 08-06-2020